

www.pelvicpain.org

Today's Date:	Chart Number (FOR OFFICE USE ONLY):
1. Contact information	
Legal Last Name:	Legal First Name:
Date of Birth:	Age:
Email:	Phone:
How do you prefer to be addressed? <i>(Check <u>all</u> that o</i> ☐ She / Her ☐ He/Him ☐ Them/The	
☐Other Name:	□Other gender pronoun:
What language do you prefer to communicate in? (€	Check <u>all</u> that apply) Other:
2. Referring provider's name and co	ontact information:
Name: Phone:	Contact address:
How many doctors or health care providers have you	seen in the past for your <u>pelvic pain</u> ?
□None □1 □2 □3 □4 □5	□6 □7 □8 □9 □10 □>10
3. Demographic information:	
What race and ethnicity best describes you? (Check of American Indian or Alaskan Native ☐ Asi ☐ Black or African American ☐ ₩	an Native Hawaiian or Pacific Islander
☐ Hispanic or Latino/a/x ☐ Otl	her:
What is your relationship status? (Check <u>all</u> that apple ☐ Single ☐ Married ☐ Separated ☐ Divorce ☐ Other:	ly) ed □Widowed □Partnered □Casually dating
	exual (without sexual feelings or associations) Rually active with women Sexually active with both
With whom do you live? (Check <u>all</u> that apply) □ Alone □ Partner □ Parents □ Other Fan	nily □Friends □Homeless □Other:
What is your education? <i>(Check only <u>one)</u></i> □ Less than 12 years □ High School gradue	ate □College degree □ Postgraduate degree
What type of work are you doing? <i>(Check only <u>one)</u></i> ☐ Unemployed ☐ Work outside home ☐	Homemaker □ Retired □ Disabled





4. Medical History

Please list your medical or health problems, describe when the condition was diagnosed and whether it is controlled.

Medical Problem	Year Diagnosed	Contro	olled?
		Yes□	No□

5. Surgical History

Please check if you have had any of the following surgeries

Procedure		Date	Surgeon	Findings
Cystoscopy (looking inside the bladder)	☐ Yes ☐ No			
Laparoscopy w/removal of Endometriosis	☐ Yes ☐ No			
Hysterectomy (removal of uterus and cervix)	☐ Yes ☐ No			
Were your ovaries removed? Was the cervix retained (Supracervical hysterectomy)?	☐ Yes ☐ No☐ Yes ☐ No☐			
Myomectomy	☐ Yes ☐ No			
Endoscopy	☐ Yes ☐ No			
Colonoscopy	☐ Yes ☐ No			
Ovarian Cyst Removal	☐ Yes ☐ No			
Cesarean Delivery	☐ Yes ☐ No			
Appendectomy (appendix removal)	☐ Yes ☐ No			
Prostatectomy	☐ Yes ☐ No			
Colectomy (removal of colon)	☐ Yes ☐ No			
Vasectomy	☐ Yes ☐ No			
Other:				



6. Menstrual, Birth Control and Sexually Transmitted Infections History

☐ Had a hysterectomy	rual suppression using birth control (e.blation	ned MALE at birth <i>then skip t</i>	
How old were you when your me	enstrual cycles started?		
If you menstruate, do you <u>CURRI</u> apply)	ENTLY have any of the following symp	otoms <u>DURING</u> menstruation	n? (Check <u>all</u> that
☐ Heavy bleeding ☐ So	evere pain	•	,
If you have painful periods, how	long have you had this type of pain?	Please specify years or montl	hs.
Do you <u>CURRENTLY</u> regularly (me ☐ Yes ☐ No	ore than 3 times a month) miss schoo	l or work due to your painfu	l period?
all that apply)	you used any of the following to help ☐ Vaginal ring ☐ Depo Prove ☐, Naproxen) ☐ Acetaminop	ra 🗆 Hormonal IUD	period? (Check
☐ Nothing ☐ Nexplanon implant ☐	trol / contraception? (Check <u>all</u> that documents of the condoms of Birth condoms of Birth condoms of Tubal Lional Non-Hormonal IUD Other:	ontrol pills Depoprover	a injection
		' (Human Papilloma Virus)	□Syphilis □Hepatitis C
7. Allergies and Current Please list your allergies:	Medications		
Allergy	Reaction, what happens when you have this allergy?	Have you had treatments in allergy?	n the past for this



www.pelvicpain.org

Please list all **CURRENT** medications you are taking, including herbal remedies:

Medication or Herbal Remedies	Dose	For what medical	condition
8. Pregnancy / Obstetric	History		
How many pregnancies have you h			
How many deliveries were vagin How many deliveries were cesard How many were miscarriages or	ean? □0 □1 □2 □3 □]4 □5 □6 or more	
Where there any complications of		very, or postpartum?	
9. Family History			
Has anyone in your family had an ☐ Endometriosis ☐ Fibromyalg ☐ Colon Cancer ☐ Breast Canc ☐ Chronic Fatigue Syndrome ☐ Migraine Headache ☐ Post ☐ Other Chronic Condition:	ia □Chronic pelvic pain cer □Uterine Cancer	☐ Irritable bowel syndrome ☐ Ovarian Cancer S ☐ Temporomandibular Joint [☐ Interstitial Cystitis ☐ Depression Disorder (TMD)



www.pelvicpain.org


10. Pain History, Description and Contributing Factors

When did your pain begin?	Month:	Year:	□Unst	ıre	
Please use your own words to	o describe your	pain:			
How did your main pain begi □Injury at home □After surgery □No obvious cause/ do	□Injury at wo	ork/school	\square Injury in oth	•	☐ Motor vehicle crash
How did your pain begin? (Cf	neck only <u>one</u>)	\square Suddenly	□Grad	dually	
How long has your main pain ☐Less than 3 months	been present? (□3-12 month	_	months-2 years	□2-5 years	☐ More than 5 years
Since your pain began, is you ☐ No different ☐ Ge	r pain: <i>(Check oi</i> t ting better	-	etting worse	□I do	on't know
Which statement best descril □ Always present (alwa □ Always present (level □ Often present (pain f □ Occasionally present □ Rarely present (pain f	ys the same inte of pain varies) ree periods less (once to several occurs every few	ensity) than 6 hours) times per day la days or weeks)	asting up to an ho	ur)	
How would you describe you ☐ Sharp, stabbing ☐ Pulling, tugging pai ☐ Other:	□Crampy	□He	eavy feeling in the irning pain	•	I, achy pain ing out sensation
Does your pain ever wake yo	u up from your s	sleep? □Ye	s \square No		
Does your pain ever radiate of	or spread to oth	er regions of yo	ur body? □Yes	□No	
□Full bladder □Str	mbing stairs	at apply) Urination Housework Contact with Other:		r □Get	thing makes it worse ting in/out of the car ercourse/ Sexual contact
What makes your pain BETTE □ Lying down/rest □ Meditation □ Hot bath □ Exercise □ Being distracted, v	□Emptying b □Laxatives/e □Massage □Ibuprofen c	oladder enema or Tylenol	☐ Ice or Heating☐ It goes away by☐ Bowel moveme☐ Prescription paings ☐ Other:	itself \(\subseteq \text{Whents} \)	thing makes it better en I feel supported en my stress is low



11. Pain Location, Severity Scales and Past Treatments

Please mark <u>ALL</u> areas where you have pain on the Body Maps below as they apply to you. Please shade or circle each area of pain.



49

medical treatment of a qualified physician or healthcare professional.

Anus





Short McGill Questionnaire

List each pain location number from the body map in the first column. Then, select the length, quality and severity of pain						
at each location. [IF YOU HAY	VE MORE THAN 3 AREAS OF PAIN, FILL	THIS FOR YOUR 3 WORSE AREAS]				
	Example					
(if 1 is by your pelvis it means the pain is in your	☐1 year ⊠1-3 years ☐4-7 years ☐8-10 years ☐More than 10 years	⊠Throbbing □Shooting □Stabbing □Sharp □Cramping □Gnawing	□Mild			
pelvis)	□0-10 years □More trial 10 years	□Hot-Burning ☑Aching □Heavy	□Moderate ☑Severe			
1		☐Tender ☐Splitting ☐Tiring- Exhausting				
		□Sickening □Fearful □Punishing- Cruel				
This	means you've had severe throbbing, a		l			
Location Number:	□1 year □1-3 years □4-7 years	□Throbbing □Shooting □Stabbing	□Mild			
	□8-10 years □More than 10 years	□Sharp □Cramping □Gnawing	□Moderate			
		☐Hot-Burning ☐Aching ☐Heavy	□Severe			
		□Tender □Splitting □Tiring-				
		Exhausting				
		□Sickening □Fearful □Punishing-				
		Cruel				
Location Number:	□1 year □1-3 years □4-7 years	□Throbbing □Shooting □Stabbing	□Mild			
	□8-10 years □More than 10 years	□Sharp □Cramping □Gnawing	□Moderate			
		☐Hot-Burning ☐Aching ☐Heavy	□Severe			
		□Tender □Splitting □Tiring-				
		Exhausting				
		□Sickening □Fearful □Punishing-				
		Cruel				
Location Number:	□1 year □1-3 years □4-7 years	Throbbing □Shooting □Stabbing	□Mild			
	□8-10 years □More than 10 years	□Sharp □Cramping □Gnawing	□Moderate			
		☐Hot-Burning ☐Aching ☐Heavy	□Severe			
		□Tender □Splitting □Tiring-				
		Exhausting				
		□Sickening □Fearful □Punishing-				
		Cruel				
indicate on this line by chec	king a box to describe how bad you	ır <u>ıvıAIN</u> paın ıs:				
		□6 □7 □8 □9 □10				
L⊟0 No Pair			n			
NO Pair	I	Worse imaginable pai	"			

medical treatment of a qualified physician or healthcare professional.



Rate the SEVERITY OF YOUR PAIN (YOUR WORSE OR MAIN PAINFUL AREA) on the scales below:

In the past <i>7 days</i>					
	Had no pain	Mild	Moderate	Severe	Very severe
1. How intense was your pain at its worse?	□1	□2	□3	□4	□5
2. How intense was your average pain?	□1	□2	□3	□4	□5
3. What is your level of pain right now?	□1	□2	□3	□4	□5

Mark the one box that describes how much, during the past week, pain has interfered with:

	0= do	0= does NOT interfere			completely interferes=10						
General activity	□0	□ 1	□ 2	□3	4	□ 5	□6	□7	□8	□9	□10
Mood	□0	□ 1	□2	□3	□4	□5	□6	□7	□8	□9	□10
Walking activity	□0	□ 1	□2	□3	□4	□5	□6	□7	□8	□9	□10
Normal activity (outside the home or with housework)	□0	□ 1	□2	□3	□4	□5	□6	□7	□8	□9	□10
Relations with other people	□0	□ 1	□2	□3	□4	□5	□6	□7	□8	□9	□10
Sleep	□0	□ 1	□2	□3	□4	□5	□6	□7	□8	□9	□10
Enjoyment of life	□0	□ 1	□2	□3	□4	□5	□6	□7	□8	□9	□10

Listed below are thirteen statements describing different thoughts and feelings that may be associated with pain. Please read each statement and circle a number 0,1,2,3, or 4 which indicates how much the statement applies to you when you are experiencing pain.

PCS

When I am in pain	Not at all	To a slight degree	To a moderate degree	To a great degree	All the time
I worry all the time about whether the pain will end.	□0	□1	□2	□3	□4
I feel I can't go on	□0	□1	□2	□3	□4
It's terrible and I think it's never going to get any better	□0	□1	□2	□3	□4
It's awful and I feel it overwhelms me	□0	□1	□2	□3	□4
I feel I can't stand it anymore	□0	□1	□2	□3	□4
I become afraid that the pain will get worse	□0	□1	□2	□3	□4
I keep thinking of other painful events	□0	□1	□2	□3	□4
I anxiously want the pain to go away	□0	□1	□2	□3	□4
I can't seem to keep it out of my mind	□0	□1	□2	□3	□4
I keep thinking about how much it hurts	□0	□1	□2	□3	□4
I keep thinking about how badly I want the pain to stop	□0	□1	□2	□3	□4
There's nothing I can do to reduce the intensity of the					
pain	□0	□1	□2	□3	□4
I wonder whether something serious may happen	□0	□1	□2	□3	□4



If assigned <u>FEMALE</u> at birth, complete this questionnaire to assess the impact of your pain on your sexuality.

Interest in Sexual activity in the PAST 30 DAYS 1. How interested have you Not at all A little bit Somewhat Quite a bit Very been in sexual activity? □1 □2 □3 **4** □5 Never Rarely Sometimes Often **Always** 2. How often have you felt like you wanted to have sex? \Box 1 \square 2 □3 □4 □5 Lubrication over the PAST 4 WEEKS... 3. How often did you No sexual A few times Almost never Almost Most times Sometimes become lubricated 'wet' activity always or (more than (about half (less than or ever half of the during sexual activity or always half the time) the time) intercourse? time) \Box 0 \square 5 \Box 4 □3 \square 2 \Box 1 In the past 30 days... 4. How difficult has it been Not at all A little bit Somewhat Quite a bit Verv for your vagina to be \Box 1 \square 2 \square 3 \Box 4 □5 lubricated or 'wet' when you wanted it to? Vaginal Discomfort in the PAST 30 DAYS... 5. How would you describe Have not had Never Rarely Sometimes Often **Always** the comfort of your vagina any sexual \Box 1 □4 \square 2 □3 □5 during sexual activity? activity in the past 30 days \Box 0 6. How often have you had Have not had Never Sometimes Often Rarely Always difficulty with sexual activity any sexual \Box 1 \square 2 □3 **4** □5 because of discomfort or activity in the pain in your vagina? past 30 days $\Box 0$ 7. How often have you Have not had Never Rarely Sometimes Often Always stopped sexual activity any sexual \Box 1 \square 2 □3 **4** □5 because of discomfort or activity in the pain in your vagina? past 30 days \Box 0 Orgasm in the PAST 30 DAYS... 8. How would you rate your Have not tried Excellent Very good Good Fair Poor ability to have a satisfying to have an \square 5 \Box 4 □3 \square 2 \Box 1 orgasm/climax? orgasm/climax in the past 30 days \Box 0 Satisfaction in the PAST 30 DAYS... 9. When you have had sexual Have not had Not at all A little bit Somewhat Quite a bit Very activity how much have you any sexual \Box 1 \square 2 □3 **4** □5 enjoyed it? activity in the past 30 days \Box 0 A little bit 10. When you have had Have not had Not at all Somewhat Quite a bit Very sexual activity, how anv sexual □1 □2 □3 □4 □5 satisfying has it been? activity in the past 30 days $\Box 0$

Last revised 6.19.2019

info@pelvicpain.org. www.pelvicpain.org



If assigned MALE at birth, complete this questionnaire to assess the impact of your pain on your sexuality.

	DACT OO DAVC					
Interest in Sexual activity in th		A livel 1 to		6 11 111	.,	
How interested have you	Not at all	A little bit	Somewhat	Quite a bit	Very	
been in sexual activity?	□1	□2	□3	□4	□5	
How often have you felt like	Never	Rarely	Sometimes	Often	Always	
you wanted to have sex?	□1	□2	□3	□4	□5	
Erectile function, in the PAST	30 DAYS					
In the past 30 days						
How difficult has it been for	Have not tried	Not at all	A little bit	Somewhat	Quite a bit	Very
you to get an erection when	to get an	□5	□4	□3	□2	□1
you wanted to? (If you use	erection in the					
pills, injections, or a penis	past 30 days					
pump to help you get an	□0					
erection, please answer this						
question thinking about the						
times that you used these						
aids)						
In the PAST 30 DAYS						
How difficult has it been to	Have not had	Not at all	A little bit	Somewhat	Quite a bit	Very
keep an erection (stay hard)	erection in the	□5	□4	□3	□2	1
when you wanted to? (If	past 30 days					
you use pills, injections, or a	. □0					
penis pump to help you get						
an erection, please answer						
this question thinking about						
the times that you used						
these aids)						
How would you rate the follow	wing in the LAST 4	WEEKS				
Your ability to have an		Very poor	Poor	Fair	Good	Very good
erection			□2	□3	□4	
Orgasm in the PAST 30 DAYS	_					
How would you rate your	Have not tried	Excellent	Very good	Good	Fair	Poor
ability to have a satisfying	to have an	□5	□4	□3	□2	□1
orgasm/climax?	orgasm/climax		ш-т	_3	□ 2	
Orgasini, cilinax:	in the past 30					
	days					
	□0					
Satisfaction in the PAST 30 DA						
When you have had sexual	Have not had	Not at all	A little bit	Somewhat	Quite a bit	Very
						· · · · · · · · · · · · · · · · · · ·
activity how much have you	any sexual		LΙZ	□3	□4	□5
enjoyed it?	activity in the					
	past 30 days					
	□0					
When you have had sexual	Have not had	Not at all	A little bit	Somewhat	Quite a bit	Very
activity, how satisfying has	any sexual	□1	□2	□3	□4	□5
it been?	activity in the					
	past 30 days					
	□0					



REGARDLESS OF YOUR GENDER, please respond to each question or statement ABOUT YOUR GENERAL HEALTH by marking 1 box per row.

out your usual social activities and roles (this includes activities at home, at work and in your community, and responsibilities as a Excellent good Good Fair Poor parent, child, spouse, employee, friend, etc.)						
In general, would you say your quality of life is? Excellent good Good Fair Poor	In general, would you say your health is?	C II t	•	C I	F-:	D
In general, would you say your quality of life is? Excellent good Good Fair Poor Very Physical health? Excellent good Good Fair Poor Good F			•			
Excellent good Good Fair Poor Leading Moderately of Fair Poor Sections and Poor Leading Moderately of Fair Poor Leading Moderately on think? In general, how would you rate your mental health, including mood and your ability to think? In general, how would you rate your satisfaction with your social activities and relationships? In general, please rate how well you carry out your usual social activities and roles (this includes activities and roles (this includes activities at home, at work and in your community, and responsibilities as a parent, child, spouse, employee, friend, etc.) To what extend are you able to carry out your everyday physical activities such as walking, climbing stairs, carrying groceries, or moving a chair In the past 7 days How often have you been bothered by emotional problems such as feeling anxious, depressed or irritable? How would you rate your pain on average? In contact the poor of think poor of the poor parent, child, moderately and problems such as feeling anxious, depressed or irritable? In contact the poor pain on average? In contact the poor pain on average proor pain on average? In contact the poor pain on average proor pain on average proor pain on average? In contact the poor pain on average proor pain on average? In contact the poor pain on average proor pain and proor pain proor pain and proor pain proor pain proor pain proor pain proor pai	In account would was account modifies of life	□5		□3	□∠	□⊥
In general, how would you rate your physical health? Excellent good Good Fair Poor	• • • • • • •	Fyzallant	•	Cand	Fo:u	Daar
In general, how would you rate your physical health? Excellent good Good Fair Poor	is:		•			
Excellent good Good Fair Poor Po	In general, how would you rate your	⊔3		⊔3	⊔ ∠	□ 1
In general, how would you rate your mental health, including mood and your ability to think? In general, how would you rate your satisfaction with your social activities and relationships? In general, please rate how well you carry out your susual social activities and roles (this includes activities at home, at work and in your community, and responsibilities as a parent, child, spouse, employee, friend, etc.) To what extend are you able to carry out your everyday physical activities such as walking, climbing stairs, carrying groceries, or moving a chair In the past 7 days How often have you been bothered by emotional problems such as feeling anxious, depressed or irritable? None Mild Moderate Severe Very severe average? O-no pain 1 2 3 4 5 6 7 8 9 10	•	Evcellent	•	Good	Fair	Poor
In general, how would you rate your mental health, including mood and your ability to think? Sexcellent Good Good Fair Poor	physical fleatin:		•			
health, including mood and your ability to think? 5	In general, how would you rate your mental			⊔ 3	⊔ ∠	□.
think?		Excellent	•	Good	Fair	Poor
In general, how would you rate your satisfaction with your social activities and relationships? In general, please rate how well you carry out your usual social activities and roles (this includes activities at home, at work and in your community, and responsibilities as a parent, child, spouse, employee, friend, etc.) To what extend are you able to carry out your everyday physical activities such as walking, climbing stairs, carrying groceries, or moving a chair In the past 7 days How often have you been bothered by emotional problems such as feeling anxious, depressed or irritable? How would you rate your fatigue on average? O-no pain 1 2 3 4 5 6 7 8 9 10			_		-	
Excellent good Good Fair Poor plants greater that good good good Fair Poor plants greater than good good good good good good good goo						
relationships?	•	Excellent	•	Good	Fair	Poor
In general, please rate how well you carry out your usual social activities and roles (this includes activities at home, at work and in your community, and responsibilities as a parent, child, spouse, employee, friend, etc.) To what extend are you able to carry out your everyday physical activities such as walking, climbing stairs, carrying groceries, or moving a chair In the past 7 days How often have you been bothered by emotional problems such as feeling anxious, depressed or irritable? How would you rate your fatigue on average? None Mild Moderate Severe Very severe average? O-no pain 1 2 3 4 5 6 7 8 9 10	•		•	□3	□2	□1
includes activities at home, at work and in your community, and responsibilities as a Excellent good Good Fair Poor parent, child, spouse, employee, friend, etc.)	In general, please rate how well you carry					
your community, and responsibilities as a parent, child, spouse, employee, friend, etc.) To what extend are you able to carry out your everyday physical activities such as walking, climbing stairs, carrying groceries, or moving a chair Completely Mostly Moderately A little Not at all or moving a chair A little Not at all or moving a chair A little Not at all or moving a chair A little Not at all or moving a chair A little Not at all or moving a chair Not at all or moving a chair Never Rarely Sometimes Often Always or movinal problems such as feeling anxious, depressed or irritable? None Mild Moderate Severe Very severe average? None Mild Moderate Severe Very severe average? O-no pain 1 2 3 4 5 6 7 8 9 10	out your usual social activities and roles (this					
parent, child, spouse, employee, friend, etc.)	includes activities at home, at work and in		Very			
To what extend are you able to carry out your everyday physical activities such as walking, climbing stairs, carrying groceries, or moving a chair Completely Mostly Moderately A little Not at all of moving a chair In the past 7 days How often have you been bothered by emotional problems such as feeling anxious, depressed or irritable? How would you rate your fatigue on average? None Mild Moderate Severe Very severe average? O-no pain 1 2 3 4 5 6 7 8 9 10	your community, and responsibilities as a	Excellent	good	Good	Fair	Poor
your everyday physical activities such as walking, climbing stairs, carrying groceries, or moving a chair Completely Mostly Moderately A little Not at all of moving a chair In the past 7 days How often have you been bothered by emotional problems such as feeling anxious, depressed or irritable? How would you rate your fatigue on None Mild Moderate Severe Very severe average? None Mild Moderate Severe Very severe average? O-no pain 1 2 3 4 5 6 7 8 9 10	parent, child, spouse, employee, friend, etc.)	□5	□4	□3	□2	□1
walking, climbing stairs, carrying groceries, or moving a chair Completely Mostly Moderately A little Not at all or moving a chair Completely Mostly Moderately A little Not at all or moving a chair In the past 7 days How often have you been bothered by emotional problems such as feeling anxious, depressed or irritable? Completely Mostly Moderately A little Not at all or moving a chair Not at all or moving a chair Never Rarely Sometimes Often Always or moving a chair	To what extend are you able to carry out					
or moving a chair 5	your everyday physical activities such as					
In the past 7 days How often have you been bothered by emotional problems such as feeling anxious, depressed or irritable? How would you rate your fatigue on average? How would you rate your pain on average? O-no pain 1 2 3 4 5 6 7 8 9 10	walking, climbing stairs, carrying groceries,	Completely	Mostly	Moderately	A little	Not at all
How often have you been bothered by emotional problems such as feeling anxious, depressed or irritable? How would you rate your fatigue on average? How would you rate your pain on average? O-no pain 1 2 3 4 5 6 7 8 9 10	or moving a chair	□5	□4	□3	□2	□1
How often have you been bothered by emotional problems such as feeling anxious, depressed or irritable? How would you rate your fatigue on average? How would you rate your pain on average? O-no pain 1 2 3 4 5 6 7 8 9 10						
emotional problems such as feeling anxious, depressed or irritable? How would you rate your fatigue on average? How would you rate your pain on average? O-no pain 1 2 3 4 5 6 7 8 9 10	In the past 7 days					
depressed or irritable? How would you rate your fatigue on average? 1	How often have you been bothered by					
How would you rate your fatigue on None Mild Moderate Severe Very severe average? How would you rate your pain on average? O-no pain 1 2 3 4 5 6 7 8 9 10			•			•
average?	•					
How would you rate your pain on average? O-no pain 1 2 3 4 5 6 7 8 9 10						•
0-no pain 1 2 3 4 5 6 7 8 9 10		1	□2	□3	4□	□5
0-no pain 1 2 3 4 5 6 7 8 9 10	How would you rate your pain on average?					
worst imaginable pain		0-no pa	in 1 2	3 4 5		
					Wors	imaginable pain

[For health care providers-PROMIS scoring methods http://www.healthmeasures.net/score-and-interpret/calculate-scores]



www.pelvicpain.org

What medications have you tried in the PAST for your pelvic pain? (Check all that apply)

Medication	Currently on Medication	Have tried this medication in the past	Did you find this medication helpful?			
Gabapentin (Neurontin®)	Yes□ No□	Yes□ No□	Yes□ No□ Somewhat□			
Pregabalin (Lyrica®)	Yes□ No□	Yes□ No□	Yes□ No□ Somewhat□			
Amitriptyline (Elavil®)	Yes□ No□	Yes□ No□	Yes□ No□ Somewhat□			
Duloxetine (Cymbalta®)	Yes□ No□	Yes□ No□	Yes□ No□ Somewhat□			
Milnacipran (Savella®)	Yes□ No□	Yes□ No□	Yes□ No□ Somewhat□			
Trazodone	Yes□ No□	Yes□ No□	Yes□ No□ Somewhat□			
Oral Muscle relaxer	Yes□ No□	Yes□ No□	Yes□ No□ Somewhat□			
Diazepam Suppository (Valium®)	Yes□ No□	Yes□ No□	Yes□ No□ Somewhat□			
Opioids	Yes□ No□	Yes□ No□	Yes□ No□ Somewhat□			
Vhat <u>OTHER TREATMENTS</u> ha □Acupuncture □Mas	•	• - •				
•		•	• •			
☐Trigger Point Injection		•				
□Epidural	☐Sex therapy	☐Joint Injection				
☐ Bladder instillations	\square Aqua therapy	☐Cognitive Be	havioral Therapy			
☐Radio Frequency Ab	lation (RFA)	\square NONE				
☐ Hormonal treatmen	t if yes, what type of hor	monal treatment? (Che	eck all that apply)			
□Pills □Patch	• • •	•	gesterone			
Other treatments:			Sester one			
12. Gastrointestinal	History					
Do you have any of the follow	wing GASTROINTESTINAL	(BOWEL) symptoms? (Check <u>all</u> that apply)			
Nausea/vomiting? \Box Ye	s □No Constiµ	oation: \square Yes	□No			
Diarrhea: □Ye	s □No Reflux	/ Heartburn: ☐Yes	□No			
Abdominal pain: ☐Ye	s 🗆 No					
Bloating: □Ye	s □No					
-						
Do you have increased pain v	vith bowel movements?	□Yes □No				
Do you have any rectal bleed	ing or blood in your stool	? □Yes □No				
Have you ever seen a gastroe	enterologist (GI specialist)	? □Yes □No				
•						

Last revised 6.19.2019

Change in frequency of bowel movement?

Change in appearance of stool or bowel movement?

Does your pain improve or get worse around times of having a bowel movement? □Yes

 \square No

□Yes □No

 \square No

 \square Yes



What do your stools look like MOST of the time? Select one type from the chart

Type 1	Separate hard lumps, like nuts (hard to pass)
Type 2	Sausage-shaped but lumpy
Type 3	Like a sausage but with cracks on its surface
Type 4	Like a sausage or snake, smooth and soft
Type 5	Soft blobs with clear cut edges (passed easily)
Type 6	Fluffy pieces with ragged edges, mushy stool
Type 7	Watery, no solid pieces. ENTIRELY LIQUID

13. Additional Symptoms and Diagnoses

Do you have pain in your vulva/labia, clitoris, scrotum, penis or anus?	□Yes	□No
Do you have numbness in the same area?	□Yes	□No
Is your pain worsened by sitting?	□Yes	□No
Does the pain wake you up at night?	□Yes	□No
Have you ever had a pudendal nerve block?	□Yes	□No
If yes, did you have improvement in pain (even if temporary)?	□Yes	□No
Have you ever had any severe sport injuries (e.g. injuries during running, lifting, gymnastics)?	□Yes	□No
Have you ever had any motor vehicle accident injuries to your head, neck, spine or back?	□Yes	□No
Have you ever had any fall injuries (e.g. injuries to your back, tailbone, neck)?	□Yes	□No

Have you ever been diagnosed, or treated for any of these conditions? (Check all that apply)

Condition		
Fibroids	□Yes	□No
Endometriosis	□Yes	□No
Fibromyalgia	□Yes	□No
Chronic fatigue syndrome / Myeloencephalitis	□Yes	□No
Interstitial cystitis / Bladder pain syndrome	□Yes	□No
Chronic low back pain	□Yes	□No
Chronic headaches or migraines	□Yes	□No
TMJ (Temporomandibular joint disorder)	□Yes	□No
Abnormal pap smear	□Yes	□No
Breast cancer	□Yes	□No
Other:		





14. Urinary History

Do you experience any of the following <u>URINARY SYMPTOMS</u>? (Check <u>all</u> that apply)

Loss of urine when coughing, sneezing, or laughing?	□Yes	□No
Difficulty passing urine?	□Yes	□No
Frequent bladder infections?	□Yes	□No
Blood in the urine?	□Yes	□No
Still feeling full after urination?	□Yes	□No
Having to urinate again within minutes of urinating?	□Yes	□No
Urgency to go urinate	□Yes	□No

If assigned <u>FEMALE</u> at birth, complete the bladder function and symptom questionnaire. Please respond to questions 4-6 <u>ONLY IF</u> you engage in sexual intercourse.

Pelvic Pain / Urinary Frequency Questionnaire	0	1	2	3	4
1. How many times do you go to the bathroom	3-6	7-10	11-14	15-19	20 or more
DURINGTHE DAY (to void or empty your bladder)?					
2. How many times do you go to the bathroom	0	1	2	3	4 or more
AT NIGHT (to void or empty your bladder)?					
3. If you get up at night to void or empty your	Never	Mildly	Moderately	Severely	
bladder does it bother you?					
4. Are you sexually active? ☐ Yes ☐ No					
5. If you are sexually active, do you now or have you					
ever, had pain or symptoms during or after sexual	Never	Occasionally	Usually	Always	
intercourse?		Ц			
6. If you have pain with intercourse, does it	Never	Occasionally	Usually	Always	
make you avoid sexual intercourse?					
7. Do you have pain associated with your bladder or					
in your pelvis (lower abdomen, labia, vagina,	Never	Occasionally	Usually	Always	
urethra, perineum)?					
	Never	Occasionally	Usually	Always	
8. Do you have urgency after voiding?					
	Never	Mild	Moderate	Severe	
9. If you have pain, is it usually					
	Never	Occasionally	Usually	Always	
10. Does your pain bother you?					
		Mild	Moderate	Severe	
11. If you have urgency, is it usually					
	Never	Occasionally	Usually	Always	
12. Does your urgency bother you?					





If assigned MALE at birth, please complete the Chronic Prostatitis Symptom Index (NIH):

1.In the last week, have you experienced any pain or discomfort in the following	lowing areas?
a. Area between rectum and testicles (perineum)	□1 Yes □2 No
b. Testicles	□1 Yes □2 No
c. Tip of penis (not related to urination)	□1 Yes □2 No
d. Below your waist, in your pubic or bladder area	□1 Yes □2 No
2.In the last week, have you experienced:	
a. Pain or burning during urination?	□1 Yes □2 No
b. Pain or discomfort during or after sexual climax (ejaculation)?	□1 Yes □2 No
3. How often have you had pain or discomfort in any of these areas (a-	□0 Never
d) over the last week?	□1 Rarely
	☐2 Sometimes
	□3 Often
	☐4 Usually
	□5 Always
4.Which number best describes your <u>AVERAGE</u> pain or discomfort on	No Pain Worse imaginable pain
the days that you had it, over the last week?	
5. How often have you had the sensation of not emptying your bladder	□0 Not at all
completely after you finished urinating, over the last week?	□1 Less than 1 time in 5
	☐2 Less than half the time
	□3 About half the time
	☐4 More than Half the time
	□5 Almost always
6. How often have you had to urinate again less than two hours after	□0 Not at all
you finished urinating, over the last week	□1 Less than 1 time in 5
	☐2 Less than half the time
	□3 About half the time
	□4 More than Half the time
	□5 Almost always
7. How much have your symptoms kept you from doing the kinds of	□0 None
things you would usually do, over the last week?	□1 Only a little
	□2 Some
	□3 A lot
8. How much did you think about your symptoms over the last week?	□0 None
	□1 Only a little
	□2 Some
	□3 A lot
8.If you were to spend the rest of your life with your symptoms just the	□0 Delighted
way they have been during the last week, how would you feel about	□1 Pleased
that?	□2 Mostly satisfied
	☐3 Mixed (equally satisfied and dissatisfied
	□4 Mostly dissatisfied
	□5 Unhappy
	□6 Terrible
Scoring	
Pain: Total of items 1a, 1b, 1c, 1d, 2a, 2b, 3 and 4 =	
Urinary symptoms: Total of times 5 and 6 =	
Quality of life impact: Total of times 7, 8 and 9 =	

medical treatment of a qualified physician or healthcare professional.





1. Psychosocial History

What is the main source of s	tress in your life	? 🗌 Work	\square Family	□Financial	□Social	\square Relationships
Who are the people you talk	to concerning yo	our pain, durin	g stressful	times?		
□Spouse/ Partner	□Relative	□Support G	Group	\square Clergy	□Docto	or/Nurse
□Friend	☐Mental Hea	llth Provider		□I take care	of myself	
Have you ever experienced a	abuse or trauma	as a child (13 y	ears or you	inger)? (<i>Checl</i>	k all that a	oply)
•		□Sexual	-	tic Violence		
Have you ever experienced a	ahusa as an adult	.)				
-		.: □Sexual	□ Domes	tic Violence		
Emotional		Эсхии	_ bonnes	tic violence		
Are you currently experienci	_	_	_			
□Emotional	□Physical	□Sexual	☐ Domes	tic Violence		
Have you ever received men	tal health treatm	nent?				
☐Medications	□Therapy	□Hospitalizati	on			
Are you currently still receivi	ing montal hoaltl	h troatmont?	□Yes	□No		
<i>If yes,</i> please explain:	•	ii ti catiliciit:	□ 1 C 3		,	
Do you have a history of?			_			
☐ Depression	☐ Anx	•		c Attacks		ipolar Disorder
□Trauma	□PTSI	D	⊔Diso	rdered eating	⊔N	Ione of these
Compared to other stressors	in your life, how	does your pai	in compare	in importance	e?	
☐ Most important ☐ One of many problems						
Are there relationships you t	hink that may he	a contributing	to vour eve	nntome?	□Yes	□No
Are there relationships you t	illik tilat illay be	Continuating	to your sym	iptoms:	□163	
Do those that are in your dai	ily life understan	d you?			\square Yes	□No
If you have a partner, would	vou characterize	thom as sunn	ortivo?		□Yes	□No
ii you ilave a partilei, would	you characterize	tilelli as supp	ortive:		□163	
Does your partner notice if y	ou are in pain?				\square Yes	□No
How does your partner react	t when you hurt?) Dleace evalai	n·			
How does your partner react when you hurt? Please explain:						
Do you believe that your pair	-	-	ife?			
□Education		Family		Recreation		5
□Work	Ш	Friends		☐Sexual inti	macy	



Please read each statement and circle a number 0, 1, 2, or 3 which indicates how much the statement applied to you over the past week. There are no wrong or right answers, do not spend too much time on any statement.

over the past week. There are no wrong or right answers, do not spend too me		Some	A good	Most
DASS-21		of the	part of	of the
	Not at all	time	the time	time
I found it hard to wind down	□0	□1	□2	□3
I was aware of dryness of my mouth	□0	□1	□2	□3
I couldn't seem to experience any positive feeling at all	□0	□1	□2	□3
I experienced breathing difficulty (e.g. excessively rapid breathing,				
breathlessness in the absence of physical exertion)	□0	□1	□2	□3
I found it difficult to work up the initiative to do things	□0	□1	□2	□3
I tended to overreact to situations	□0	□1	□2	□3
I experienced trembling (e.g. in the hands)	□0	□1	□2	□3
I felt that I was using a lot of nervous energy	□0	□1	□2	□3
I was worried about situations in which I might panic and make a fool of				
myself	□0	□1	□2	□3
I felt that I had nothing to look forward to	□0	□1	□2	□3
I found myself getting agitated	□0	□1	□2	□3
I found it difficult to relax	□0	□1	□2	□3
I felt down-hearted and blue	□0	□1	□2	□3
I was intolerant of anything that kept me from getting on with what I was				
doing	□0	□1	□2	□3
I felt I was close to panic	□0	□1	□2	□3
I was unable to become enthusiastic about anything	□0	□1	□2	□3
I felt I wasn't worth much as a person	□0	□1	□2	□3
I felt that I was rather touchy	□0	□1	□2	□3
I was aware of the action of my heart in the absence of physical exertion (e.g.				
a sense of heart rate increase, heart missing a beat)	□0	□1	□2	□3
I felt scared without good reason	□0	□1	□2	□3
I felt scared without good reason	□0	□1	□2	□3

Do you <u>CURRENTLY</u> use, or have you used any of the following substances in the <u>PAST 12 MONTHS</u>? (Check <u>all</u> that apply)

Substance			How many times a week?			Do you use this for pain control?
Do you drink any alcohol?	□No	□Yes	□<1	□2-3	□>4	□Yes □No
Tobacco or Nicotine Products	□No	□Yes	□<1	□2-3	□>4	□Yes □No
Cocaine / Crack	□No	□Yes	□<1	□2-3	□>4	□Yes □No
Heroin	□No	□Yes	□<1	□2-3	□>4	□Yes □No
Opioids	□No	□Yes	□<1	□2-3	□>4	□Yes □No
Methamphetamines	□No	□Yes	□<1	□2-3	□>4	□Yes □No
Stimulants	□No	□Yes	□<1	□2-3	□>4	□Yes □No
Ecstasy	□No	□Yes	□<1	□2-3	□>4	□Yes □No
Psychedelics	□No	□Yes	□<1	□2-3	□>4	□Yes □No
Marijuana/THC/Cannabis	□No	□Yes	□<1	□2-3	□>4	□Yes □No





Thank you for taking the time to complete this form. This information will help your health care provider take better care of you.

For more information on chronic pelvic pain and how to prepare for your clinical evaluation, visit the 'patient resources' and 'pamphlets' section of the International Pelvic Pain Society web at www.pelvicpain.org.

FOR OFFICE USE ONLY:	
Form reviewed by (Name):	
Date of Review:	

Health Care Provider Comments: